



Schweiz / Suisse / Svizzera / Switzerland

Veterinary health certificate for the exportation of bovine semen from Switzerland to Burundi

Part I: Details of dispatched consignment	I.1. Consignor Name:		I.2. Certificate reference number*:					
	Address:		I.3. a. Central competent authority: Federal Food Safety and Veterinary Office FSVO					
			I.3. b. Cantonal competent authority:					
	I.4. Consignee Name:		I.5. Country of origin: Switzerland ISO Code: CH					
	Address:		I.6. Country of destination: Burundi ISO Code: BI					
	I.7. Place of origin: Name:		I.8. Place of loading:					
	Address:		I.9. Date of departure:					
	Approval number of establishment(s):		I.10. Expected border post:					
	I.11. Means of transport: Aeroplane <input type="checkbox"/> Ship <input type="checkbox"/> Railway wagon <input type="checkbox"/> Road vehicle <input type="checkbox"/> Other <input type="checkbox"/> Identification:		I.12. Temperature of product: Ambient <input type="checkbox"/> Chilled <input type="checkbox"/> Frozen <input type="checkbox"/> I.13. Identification of container/seal number ¹⁾ :					
	I.14. Commodities intended for use as: Breeding/ rearing <input type="checkbox"/> Wildlife management <input type="checkbox"/> Other <input type="checkbox"/>		I.15. Total number of packages:					
I.16. Identification of commodities ²⁾ :								
Name of the donor	Ear-tag No.	Breed	Age	Date of admission to the center	Number of straws per donor	Straw identification	Date(s) of collection	

1) If applicable

2) If necessary, extra tables can be attached as annex by the consignor and should be approved and stamped by the cantonal competent authority.

Switzerland	Bovine Semen																	
II. Sanitary information	Certificate reference number*:																	
Part II: Sanitary information	<p>The undersigned official veterinarian confirms that:</p> <ol style="list-style-type: none"> (1) Switzerland, the country of origin of the donor bulls is free from FOOT and MOUTH DISEASE, RINDERPEST, RIFT VALLEY FEVER, CONTAGIOUS BOVINE PLEUROPNEUMONIA, BOVINE TUBERCULOSIS, BOVINE BRUCELLOSIS, BOVINE LEUCOSIS, LUMPY SKIN DISEASE; VESICULAR STOMATITIS and IBR/IPV. (2) The semen collection center where the semen has been produced is officially approved and under the supervision of an official veterinarian from the cantonal veterinary authority in accordance with the conditions laid down in chapter 4.6 and 4.7 of the terrestrial code of the WOA and with the Swiss health directives and is free from restriction due to officially controlled infectious or contagious diseases of cattle. (3) At the time of semen collection, the donor bulls did not show clinical signs of infectious diseases including bovine genital trichomoniasis, bovine genital campylobacteriosis, bovine virus diarrhea, bluetongue, brucellosis, contagious bovine pleuropneumonia, leptospirosis, bovine leucosis, malignant catarrhal fever (exotic form), paratuberculosis, Q-fever and tuberculosis and the bull has not been used for natural mating since entering the center. (4) (a) All bulls of the semen collection center were tested and examined, according to article 4.7.2 of the Terrestrial Code of the WOA for the following diseases: 																	
	<table border="1" data-bbox="304 846 1477 1686"> <thead> <tr> <th data-bbox="304 846 719 887">Animal diseases</th> <th data-bbox="719 846 1477 887">Test ⁽¹⁾</th> </tr> </thead> <tbody> <tr> <td data-bbox="304 887 719 1010">Bovine brucellosis</td> <td data-bbox="719 887 1477 1010"> <input type="checkbox"/> Complement fixation test or <input type="checkbox"/> ELISA or <input type="checkbox"/> Rose Bengal test </td> </tr> <tr> <td data-bbox="304 1010 719 1055">Bovine tuberculosis</td> <td data-bbox="719 1010 1477 1055">Intradermal tuberculin test with bovine tuberculin PPD</td> </tr> <tr> <td data-bbox="304 1055 719 1151">Infectious bovine rhinotracheitis</td> <td data-bbox="719 1055 1477 1151"> <input type="checkbox"/> Serum neutralisation test or <input type="checkbox"/> ELISA </td> </tr> <tr> <td data-bbox="304 1151 719 1247">Enzootic bovine leucosis</td> <td data-bbox="719 1151 1477 1247"> <input type="checkbox"/> Agar gel immunodiffusion or <input type="checkbox"/> ELISA of the serum </td> </tr> <tr> <td data-bbox="304 1247 719 1344">Bovine genital trichomoniasis</td> <td data-bbox="719 1247 1477 1344"> <input type="checkbox"/> Microscopic examination of the culture of preputial washing or <input type="checkbox"/> ELISA of the serum </td> </tr> <tr> <td data-bbox="304 1344 719 1489">Bovine genital campylobacteriosis</td> <td data-bbox="719 1344 1477 1489"> <input type="checkbox"/> Microscopic examination of the culture of preputial washing or <input type="checkbox"/> Immunofluorescent antibody test or PCR testing of preputial washings <input type="checkbox"/> PCR testing of preputial washings </td> </tr> <tr> <td data-bbox="304 1489 719 1585">Bovine virus diarrhea</td> <td data-bbox="719 1489 1477 1585"> <input type="checkbox"/> Virus isolation test <input type="checkbox"/> ELISA test for antigen detection </td> </tr> <tr> <td data-bbox="304 1585 719 1686">Leptospirosis</td> <td data-bbox="719 1585 1477 1686"> <input type="checkbox"/> Microscopic agglutination test <input type="checkbox"/> Antibiotic treatment </td> </tr> </tbody> </table> <p data-bbox="304 1697 1046 1727">All tests were performed at an approved laboratory by the official veterinary services</p> <ol style="list-style-type: none"> (4) (b) The semen in this consignment was collected from donor bulls, that have been subjected to the tests according to point 4 a) within six (6) months before the date of the collection of the semen to be exported, with negative results. (5) Bluetongue Disease The semen was obtained from donor bull(s) which comply with at least one of the following conditions⁽¹⁾: <ul style="list-style-type: none"> <input type="checkbox"/> <i>either</i> i they have been kept outside a BTV restricted zone for a period of at least 60 days before commencement of, and during, collection of the semen; <input type="checkbox"/> <i>or</i> ii. they have been subjected to a serological test according to the WOA Terrestrial Manual to detect anti-bodies to the BTV group, with negative results, at least every 60 days during the collection period and between 21 and 60 days following the final collection for this consignment; 	Animal diseases	Test ⁽¹⁾	Bovine brucellosis	<input type="checkbox"/> Complement fixation test or <input type="checkbox"/> ELISA or <input type="checkbox"/> Rose Bengal test	Bovine tuberculosis	Intradermal tuberculin test with bovine tuberculin PPD	Infectious bovine rhinotracheitis	<input type="checkbox"/> Serum neutralisation test or <input type="checkbox"/> ELISA	Enzootic bovine leucosis	<input type="checkbox"/> Agar gel immunodiffusion or <input type="checkbox"/> ELISA of the serum	Bovine genital trichomoniasis	<input type="checkbox"/> Microscopic examination of the culture of preputial washing or <input type="checkbox"/> ELISA of the serum	Bovine genital campylobacteriosis	<input type="checkbox"/> Microscopic examination of the culture of preputial washing or <input type="checkbox"/> Immunofluorescent antibody test or PCR testing of preputial washings <input type="checkbox"/> PCR testing of preputial washings	Bovine virus diarrhea	<input type="checkbox"/> Virus isolation test <input type="checkbox"/> ELISA test for antigen detection	Leptospirosis
Animal diseases	Test ⁽¹⁾																	
Bovine brucellosis	<input type="checkbox"/> Complement fixation test or <input type="checkbox"/> ELISA or <input type="checkbox"/> Rose Bengal test																	
Bovine tuberculosis	Intradermal tuberculin test with bovine tuberculin PPD																	
Infectious bovine rhinotracheitis	<input type="checkbox"/> Serum neutralisation test or <input type="checkbox"/> ELISA																	
Enzootic bovine leucosis	<input type="checkbox"/> Agar gel immunodiffusion or <input type="checkbox"/> ELISA of the serum																	
Bovine genital trichomoniasis	<input type="checkbox"/> Microscopic examination of the culture of preputial washing or <input type="checkbox"/> ELISA of the serum																	
Bovine genital campylobacteriosis	<input type="checkbox"/> Microscopic examination of the culture of preputial washing or <input type="checkbox"/> Immunofluorescent antibody test or PCR testing of preputial washings <input type="checkbox"/> PCR testing of preputial washings																	
Bovine virus diarrhea	<input type="checkbox"/> Virus isolation test <input type="checkbox"/> ELISA test for antigen detection																	
Leptospirosis	<input type="checkbox"/> Microscopic agglutination test <input type="checkbox"/> Antibiotic treatment																	

* Indicated by the cantonal competent authority.

Switzerland	Bovine Semen
II. Sanitary information	Certificate reference number*:
<p><input type="checkbox"/> <i>or</i> iii. they have been subjected, with negative results, to an agent identification test for BTV according to the WOAH Terrestrial Manual carried out on blood samples collected:</p> <p>(a) at commencement and final collection; and</p> <p>(b) during the period of semen collection for this consignment⁽¹⁾:</p> <p><input type="checkbox"/> i. at least every seven days, in the case of a virus isolation test,</p> <p><input type="checkbox"/> <i>or</i> ii. at least every 28 days, in the case of a polymerase chain reaction (PCR) test.</p> <p>(6) The semen is collected, processed and handled according to the recommendations and guidelines of the WOAH and found free from diseases.</p> <p>(7) The container(s) for transportation of semen are either new or have been disinfected with an approved disinfectant before being used. The tank was sealed by a veterinarian officially authorized, using an official seal.</p> <p>(1): Tick as appropriate</p>	

Switzerland	Bovine Semen
III. Signature	Certificate reference number*:
Part III: Signature	<p>Official veterinarian:</p> <p>Full name: _____ Official position: _____</p> <p>Address: _____ Stamp and signature: _____</p> <p>Date: _____</p>

* Indicated by the cantonal competent authority.