



Schweiz / Suisse / Svizzera / Switzerland

Additional Health Certificate for the Export of Bovine Semen to Canada¹⁾

Exporting country: Switzerland	Approved form No. O-2013-06	Certificate No.
---------------------------------------	------------------------------------	-----------------

I, the undersigned, further certify in respect of the semen described in certificate number that the following Schmallenberg requirements are fulfilled :

Strike out and initial as appropriate

1. The semen was collected **prior to June 1, 2011**;

OR

2. The semen was collected **after June 1, 2011 and**

The donor(s) were tested with negative results on a virus neutralization test (VNT), or on another serological test approved by the Canadian Food Inspection Agency (CFIA), in a lab approved by the competent veterinary authority, within the 30 days prior to the start of the collection of semen intended for export to Canada.

AND

If the result of the first serological test was negative, the donor(s) were tested with negative results on a virus neutralization test (VNT), or on another serological test approved by the CFIA, in a lab approved by the competent veterinary authority, between 28 and 100 days after the last collection date of semen intended for export to Canada. If the result of the second serological test was positive, the semen is not eligible for export to Canada.

AND

if the donor(s) were collected on more than one occasion for export to Canada, the donor(s) were tested as described above, and in addition, the test was repeated every 60 days with negative results throughout the collection period.

Place and date	Signature of the veterinarian responsible for semen production center. Position and name of the veterinarian	Stamp ²⁾ and signature of the issuing Authority
----------------	--	--

Annotations

- 1) A separate certificate has to be issued for each shipping tank.
- 2) This certificate is valid only if stamped with an export stamp provided by the Federal Veterinary Office in accordance with OITE article 5, alinea 2.